



CERTIFICATE

No. Z2 022757 1126 Rev. 00

Holder of Certificate:

HAGS Aneby AB

Grännavägen 7 578 23 Aneby SWEDEN

Certification Mark:



Product:

Playground equipment UniPlay and UniMini Fantasy

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.:

713239883-05

Valid until:

2027-06-02

Date, 2

2022-06-13

1. Ho

(Tobias Hofmann)



CERTIFICATE

No. Z2 022757 1126 Rev. 00

Model(s):

UM Gare de Lyon, UM SandCausa, UM Näsby, UP Larry, UP Eldig, UniPlay Train Son Quint, UniPlay Nexter, UniPlay Ladda, UniPlay Katthult Traktor

Parameters:

UniMini Fantasy: UM Gare de Lyon, UM SandCausa, UM Näsby

Combination playground systems consist of platforms, barriers, play panels, guardrails, and posts in different colour options.

Module dimension:	0.667 m
Steel material:	galvanized or powder coated
Post and beam:	Laminated timber, steel tubing 70 mm
Barrier material:	Wood, steel, HPL
Floor material:	Wood, steel, HPL with surface texture
Roof material:	Wood, steel, HPL, polypropylene
Chain:	Hot galvanized chain with polyurethane covering
Slide:	HPL, Stainless steel slide-surface, plastic slides

Anchoring:

Sunken concrete base Sunken steel base / frame Concrete foundation on site Anchoring on concrete (expansion bolt)

UniPlay: UP Larry, UP Eldig, UniPlay Train Son Quint, UniPlay Nexter, UniPlay Ladda, UniPlay Katthult Traktor

Combination playground systems are comprised of platforms, barriers, play panels bars, guardrails and posts in different colour options.

Module dimensions:	1.00 m
Steel material:	galvanized or powder coated
Post and beam:	Laminated timber, steel tubing 108.50 mm
Barrier material:	Wood, steel, HPL
Floor material:	Wood or HPL with textured surface
Roof material:	Wood, steel, polypropylene, HPL
Chain:	Hot galvanized chain with polyurethane covering, or wire ropes with nylon braided cover
Slides:	HPL side, steel side, Stainless steel slide-surface and plastic slides

Anchoring:

Sunken concrete base Sunken steel base / frame Concrete foundation on site Anchoring on concrete (expansion bolt)



CERTIFICATE

No. Z2 022757 1126 Rev. 00

Tested according to:

DIN EN 1176-1:2017 DIN EN 1176-3:2017 EN 1176-1:2017 EN 1176-3:2017