



Product Service

# CERTIFICATE

No. Z2 022757 1235 Rev. 00

**Holder of Certificate:** **HAGS Aneby AB**

Grännavägen 7  
578 23 Aneby  
SWEDEN

**Certification Mark:**



**Product:**

**Playground equipment  
UniMini and UniPlay Fantasy-Part 1**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 713356215-05

**Valid until:** 2030-03-10

**Date,** 2025-03-21

( Jens Biesenack )

# CERTIFICATE

No. Z2 022757 1235 Rev. 00

**Model(s):**

**UniMini:**  
 Gare de Lyon; Sand Causa; Näsby; Rusken;  
 Unden; Skalka; Ylen; Tahe  
**UniPlay:**  
 Alto; Krixton; Arholma; Bonden; Oaxen;  
 Senoren; Norrpanda; Fyrudden; Garpen;  
 Asunden; Eggegrund; Finnhamn; Duvholmen;  
 Badholmen; Fejan; Bondekrok

**Parameters:**

Model(s):

UniMini:  
 Gare de Lyon; Sand Causa; Näsby; Rusken; Unden;  
 Skalka; Ylen; Tahe

**Parameters:**

Combination playground systems consists of platforms, barriers, play panels, guardrails and posts in different colour options.	
Modul dimension:	0.667 m
Steel material:	Galvanized or powder coated
Post and beam:	Laminated timber, steel tubing 70 mm
Barrier material:	Wood, steel, HPL
Floor material:	Wood, steel, HPL with surface structure
Roof material:	Wood, steel, HPL, polypropylene
Chain:	Hot galvanized chain with polyurethane covering
Slide:	HPL, stainless steel slide-surface, plastic slides

Model(s):

UniPlay:  
 Alto; Krixton; Arholma; Bonden; Oaxen; Senoren;  
 Norrpanda; Fyrudden; Garpen; Asunden; Eggegrund;  
 Finnhamn; Duvholmen; Badholmen; Fejan; Bondekrok;

**Parameters:**

Combination playground systems consists of platforms, barriers, play panels, guardrails and posts in different colour options.	
Modul dimension:	1.00 m
Steel material:	Galvanized or powder coated
Post and beam:	Laminated timber, steel tubing 108.5 mm
Barrier material:	Wood, steel, HPL
Floor material:	Wood or HPL with surface structure
Roof material:	Wood, steel, HPL, polypropylene
Chain:	Hot galvanized chain with polyurethane covering or wire ropes with nylon braided cover
Slide:	HPL, stainless steel slide-surface, plastic slides



# CERTIFICATE

No. Z2 022757 1235 Rev. 00

**Anchoring:** Sunken concrete base  
Sunken steel base / frame  
Concrete foundation on site  
Anchoring on concrete (expansion bolt)

**Tested according to:** EN 1176-1:2017/A1:2023  
DIN EN 1176-1:2024  
EN 1176-3:2017  
DIN EN 1176-3:2017